Publications 2014

- Neurological and robot-controlled induction of an apparition. Blanke O, Pozeg P, Hara M, Heydrich L, Serino A, Yamamoto A, Higuchi T, Salomon R, Seeck M, Landis T, Arzy S, Herbelin B, Bleuler H, Rognini G. Curr Biol. 2014 Nov 17;24(22):2681-6.
- Mapping epileptic activity: sources or networks for the clinicians? Pittau F, Mégevand P, Sheybani L, Abela E, Grouiller F, Spinelli L, Michel CM, Seeck M, Vulliemoz S. Front Neurol. 2014 Nov 5;5:218
- Autoimmunity and inflammation in status epilepticus: from concepts to therapies. Holzer FJ, Seeck M, Korff CM. Expert Rev Neurother. 2014 Oct;14(10):1181-202. doi: 10.1586/14737175.2014.956457. Epub 2014 Sep 9.
- Head model and electrical source imaging: A study of 38 epileptic patients. Birot G, Spinelli L, Vulliémoz S, Mégevand P, Brunet D, Seeck M, Michel CM. Neuroimage Clin. 2014 Jun 16;5:77-83.
- Incidental intrasphenoidal encephalocele(ise). Stefanelli S, Barnaure I, Momjian S, Seeck M, Constantinescu I, Lovblad KO, Vargas MI. J Neuroradiol. 2014 Dec;41(5):358-60.
- [Quality guidelines for presurgical epilepsy diagnosis and operative epilepsy therapy: 1st revised version]. Rosenow F, Bast T, Czech T, Hans V, Helmstaedter C, Huppertz HJ, Seeck M, Trinka E, Wagner K; Vorstand der Arbeitsgemeinschaft für prächirurgische Epilepsiediagnostik und operative Epilepsietherapie. Nervenarzt. 2014 Jun;85(6):753-6
- Comparison of high gamma electrocorticography and fMRI with electrocortical stimulation for localization of somatosensory and language cortex. Genetti M, Tyrand R, Grouiller F, Lascano AM, Vulliemoz S, Spinelli L, Seeck M, Schaller K, Michel CM. Clin Neurophysiol. 2015 Jan;126(1):121-30.
- Multimodal emotion perception after anterior temporal lobectomy (ATL). Milesi V, Cekic S, Péron J, Frühholz S, Cristinzio C, Seeck M, Grandjean D. Front Hum Neurosci. 2014 May 5;8:275
- The role of functional neuroimaging in pre-surgical epilepsy evaluation. Pittau F, Grouiller F, Spinelli L, Seeck M, Michel CM, Vulliemoz S. Front Neurol. 2014 Mar 24;5:31.
- When is a child with status epilepticus likely to have Dravet syndrome? Le Gal F, Lebon S, Ramelli GP, Datta AN, Mercati D, Maier O, Combescure C, Rodriguez MI, Seeck M, Roulet E, Korff CM. Epilepsy Res. 2014 May;108(4): 740-7.
- Surgically relevant localization of the central sulcus with high-density somatosensory-evoked potentials compared with functional magnetic resonance imaging. Lascano AM, Grouiller F, Genetti M, Spinelli L, Seeck M, Schaller K, Michel CM. Neurosurgery. 2014 May;74(5):517-26.
- Auditory verbal hallucinations of epileptic origin. Serino A, Heydrich L, Kurian M, Spinelli L, Seeck M, Blanke O. Epilepsy Behav. 2014 Feb;31:181-6.
- Localization of the epileptogenic tuber with electric source imaging in patients with tuberous sclerosis. Kargiotis O, Lascano AM, Garibotto V, Spinelli L, Genetti M, Wissmeyer M, Korff CM, Momjian S, Michel CM, Seeck M, Vulliemoz S. Epilepsy Res. 2014 Feb;108(2):267-79. doi: 10.1016/j.eplepsyres.2013.11.003. Epub 2013 Nov 19.
- Neural generators of psychogenic seizures: evidence from intracranial and extracranial brain recordings. Arzy S, Halje P, Schechter DS, Spinelli L, Seeck M, Blanke O. Epilepsy Behav. 2014 Feb;31:381-5
- Improved characterization of visual evoked potentials in multiple sclerosis by topographic analysis.Hardmeier M, Hatz F, Naegelin Y, Hight D, Schindler C, Kappos L, Seeck M, Michel CM, Fuhr P. Brain Topogr. 2014 Mar;27(2): 318-27
- Electric source imaging of interictal activity accurately localises the seizure onset zone. Mégevand P, Spinelli L, Genetti M, Brodbeck V, Momjian S, Schaller K, Michel CM, Vulliemoz S,Seeck M. J Neurol Neurosurg Psychiatry. 2014 Jan;85(1):38-43.