

Textes publiés en 2001 par les membres de la Division d'Anesthésie, Département APSI, Hôpitaux Universitaire de Genève :

Campbell FA, Tramèr MR, Carroll D, Reynolds DJM, Moore RA, McQuay HJ. Are cannabinoids an effective and safe treatment option in the management of pain? A qualitative systematic review. *British Medical Journal* 2001;323:13-16

Carroll D, Moore RA, McQuay HJ, Fairman F, Tramèr M, Leijon G. Transcutaneous electrical nerve stimulation (TENS) for chronic pain (Cochrane Review). *Cochrane Database Syst Rev.* 2001;3:CD0f03222

Chevalley C, Spiliopoulos A, Tschopp J-M, de Perrot M, Licker M. Perioperative medical management and outcome following thymectomy for myasthenia gravis. *Can J Anesth* 2001; 48:446-51

Choi PT-L, Halpern SH, Malik N, Jadad AR, Tramèr MR, Walder B. Examining the evidence in anesthesia literature: a critical appraisal of systematic reviews. *Anesthesia and Analgesia* 2001;92:700-709

Clergue F. Sécurité anesthésique: encore et toujours plus? (Editorial). *Le Praticien en anesthésie-réanimation* 2001; 5 : 3-9

Culebras X, Van Gessel E, Hoffmeyer P, Gamulin Z. Clonidine combined with a long acting local anesthetic does not prolong postoperative analgesia after brachial plexus block but does induce hemodynamic changes. *Anesthesia and Analgesia* 2001;92:199-204

De Perrot M, Licker M, Spiliopoulos A. Factors influencing improvement and remission rates after thymectomy for myasthenia gravis. *Respiration* 2001;68:601-5

Erb T, Christen P, Kern C, Frei FJ: Similar haemodynamic, respiratory and metabolic changes with the use of sevoflurane or halothane in children breathing spontaneously via a laryngeal mask airway. *Acta Anaesthesiologica Scandinavica* 2001;45:639-644

Garnerin P, Bovier P, Chamot E, Chastonay P, Chopard P, Herrmann F, Perneger T. Qualité des soins. *Bulletin des Médecins Suisses* 2001;82:2020-4

Habre W, Petak F, Asztalos T, Sly PD. Viscosity and density of common anesthetic gases: implications for flow measurements. *British Journal of Anaesthesia* 2001;87:602-607

Habre W, Petak F, Sly PD, Hantos Z, Morel DR. Protective effects of volatile agents against methacholine-induced bronchoconstriction in rats. *Anesthesiology* 2001;94:348-353

Kazemi-Kjellberg F, Henzi I, Tramèr MR. Treatment of established postoperative nausea and vomiting: a quantitative systematic review. *BMC Anesthesiology* 2001;1:2 <http://www.biomedcentral.com/1471-2253/1/2>

Khatchatourian G, Chevalley C, Spiliopoulos A, Licker M. Myocardial revascularization and bilateral lung transplantation without cardiopulmonary bypass. *Eur J Cardiothor Surg* 2001;20:1042-4

Kjellberg F, Tramèr MR. Pharmacological control of opioid induced pruritus: A quantitative systematic review of randomised trials. *European Journal of Anaesthesiology* 2001;18:346-57

Landau R, Ciliberto CF, Goodman SR, Kim-Lo SH, Smiley RM. Complications with 25G and 27G Whitacre Needles during Combined Spinal-Epidural Analgesia in Labor. *International Journal of Obstetric Anesthesia* 2001;10:168-171

Licker M, Spiliopoulos A, Frey J-G, de Perrot M, Chevalley C, Tschopp J-M. Management and outcome of patients undergoing thoracic surgery in a referral pneumological center without surgeons and anesthesiologists on site. *Eur J Anaesth* 2001;18:540-7

Lysakowski C, Dumont L, Pellegrini M, Clergue F, Tassonyi E. Effects of fentanyl, alfentanil, remifentanyl and sufentanil on loss of consciousness and bispectral index during propofol induction of anaesthesia. *Br J Anaesth* 2001; 86: 523-7

Lysakowski C, Walder B, Costanza M, Tramèr MR. Transcranial doppler versus angiography in patients with vasospasm due to a ruptured cerebral aneurysm. A systematic Review. *Stroke* 2001;32:2292-2298

Mardirossoff C, Dumont L, Deyaert M, Leconte M. Posture-related distribution of hyperbaric bupivacaine in cerebro-spinal fluid is influenced by spinal needle characteristics. *Acta Anaesth Scand* 2001;45:772-776

Mardirossoff C, Dumont L. Bowel and Bladder Dysfunction after Spinal Bupivacaine (Letter). *Anesthesiology* 2001;95 :1306

Merlani P, Garnerin P, Diby M, Ferring M, Ricou B. Linking guideline to regular feedback to increase appropriate requests for clinical tests: blood gas analysis in intensive care. *BMJ* 2001;323:620-4.

Pastor CM, Morel DR, Clergue F, Mentha G, Morel P. Effects of abdominal CO2 insufflation on renal and hepatic blood flows during acute hemorrhage in anesthetized pigs. *Crit Care Med* 2001; 29:1017-22

Petak F, Habre W, Donati Y, Hantos Z, Barazzone C. Hyperoxia-induced changes in mouse lung mechanics. Comparison of forced oscillations and barometric plethysmography. *Journal of Applied Physiology* 2001;90:2221-2230

Pinaud M, Clergue F, Pontone S, Schoeffler P. The role of the anesthesiologist-intensive care physician in the surgical unit. Round table at the 42nd national congress of the Societe francaises d'anesthesie et de reanimation. *Ann Fr Anesth Reanim* 2001; 20: f110-2

Scalfaro P, Sly P, Sims C, Habre W. Salbutamol prevents the increase of respiratory resistance due to tracheal intubation under sevoflurane in asthmatic childre. *Anesthesia Analgesia* 2001;93:898-902

Schneider MC, Landau R, Mortl M. New Insights in Hypertensive Disorders of Pregnancy. *Current Opinion in Anesthesiology* 2001;14:291-7

Tramèr MR, Carroll D, Campbell F, Reynolds DJM, Moore RA, McQuay HJ. Cannabinoids for control of chemotherapy induced nausea and vomiting. quantitative systematic review. *British Medical Journal* 2001;323:16-21

Tramèr MR, Reynolds DJM, Goodman N. Whose drug is it anyway? (letter). *The Lancet* 2001;358:1275

Tramèr MR. A rational approach to the control of PONV: Evidence from systematic reviews. Part I: Efficacy and harm of antiemetic interventions, and methodological issues. *Acta Anaesthesiologica Scandinavica* 2001;45:4-13

Tramèr MR. A rational approach to the control of PONV: Evidence from systematic reviews. Part II: Recommendations for prevention and treatment, and research agenda. *Acta Anaesthesiologica Scandinavica* 2001;45:14-19

Tramèr MR. CONSORT, QUOROM, and structured abstracts – new rules for authors, new tools for readers (editorial). *European Journal of Anaesthesiology* 2001;18:1-2

Vassalli F, Pierre S, Julien V, Bouckaert Y, Brimiouille S, Naeije R. Inhibition of hypoxic pulmonary vasoconstriction by carbon monoxide in dogs. *Crit Care Med* 2001 Feb 29;29:359-66

Walder B, Elia N, Henzi I, Romand JA, Tramèr MR. A lack of evidence of superiority of propofol versus midazolam for sedation in mechanically ventilated critically ill patients. A qualitative and quantitative systematic review. *Anesthesia and Analgesia* 2001;92:975-983

Walder B, Schafer M, Henzi I, Tramèr MR. Efficacy and safety of patient-controlled opioid analgesia for acute postoperative pain. A quantitative systematic review. *Acta Anaesthesiologica Scandinavica* 2001;45:795-804

Walder B, Seeck M, Tramèr MR. Propofol versus methohexital for electro-convulsive therapy. A meta-analysis. *Journal of Neurosurgical Anesthesiology* 2001;13:93-8

Walder B, Tramèr MR, Blois R. The effect of two single doses of tramadol on sleep: a randomized, cross-over trial in healthy volunteers. *European Journal of Anaesthesiology* 2001;18:36-42

Walder B, Tramèr MR. Evidence-based Medicine und Systematische Reviews in der Anästhesie: Modeerscheinung oder Notwendigkeit? *Der Anaesthesist* 2001;9:689-694

Weber A, Fournier R, Van Gessel E, Riand N, Gamulin Z. Epinephrine does not prolong the analgesia of 20 ml ropivacaine 0.5% or 0.2% in a femoral three-in-one block. *Anesth Analg* 2001;93:1327-31

Xie HG, Dishy V, Sofowora G, Kim RB, Landau R, Smiley RM, Zhou HH, Wood AJJ, Harris P, Stein CM. Arg389Gly b1-adrenoceptor polymorphism varies in frequency among different ethnic groups but does not alter response in vivo. *Pharmacogenetics* 2001;11:191-7

Bazin A, Garnerin P, Vermeulen B, Unger P-F. Etude sur l'analyse des flux aux urgences : contexte, méthodes et résultats. *Urgence* 2001. Cours supérieurs et mises au point. Paris: Arnette, 2001:161-72.

Garnerin P, Bazin A, Vermeulen B. Méthodologie et outils d'analyse des flux de patients. *Urgence* 2001. Cours supérieurs et mises au point. Paris: Arnette, 2001:173-8.

Garnerin P. Comment réduire les erreurs humaines en anesthésie ? Journées d'enseignement post-universitaire d'anesthésie et de réanimation 2001. Paris: Arnette, 2001:117-128.

Landau R, Smiley RM. Anesthesia for cardiac surgery in the pregnant patient. In *Cardiac Anesthesia: Principles and Practice*, 2nd Edition (2001). Estafanous F, Reves JG, Barash P, eds. Williams and Wilkins: Philadelphia. Pp 895-909

Vermeulen B, Bazin A, Garnerin P, Unger P-F. Nécessité de l'analyse des flux au SAU et perspectives d'évolution. *Urgence* 2001. Cours supérieurs et mises au point. Paris: Arnette, 2001:179-85.

Rifat NK, Licker M. Anesthesia for ophtalmic surgery. In: *Ophtalmic surgery*, A. Roth, Mac Graw & Hill 2001

F Clergue, P Garnerin. Le risque anesthésique et les démarches d'assurance-qualité. In: *Traité d'Anesthésie Générale*. B Dalens. Arnette Groupe Liaisons S.A., Rueil-Malmaison, 2001, ch 7, pp: 1-10

F Clergue, A d'Hollander, P Garnerin. Risque actuel de l'anesthésie: comment le réduire encore ? In: *Les risques de l'anesthésie*. JEPU 2001. CRI, Cergy-Pontoise, 2001, pp 73-91