

Publications service d'Anesthésiologie 2005

Articles originaux

Bagamery K, Kvell K, Barnet M, **Landau R**, Graham J.

Are platelets activated after a rapid, one-step density gradient centrifugation? Evidence from flow cytometric analysis.
Clin Lab Haematol 2005;27:75-7.

Bagamery K, Kvell K, **Landau R**, Graham J.

Flow cytometric analysis of CD41-labeled platelets isolated by the rapid, one-step OptiPrep method from human blood.
Cytometry A 2005;65:84-7.

Battisti A, Michotte JB, **Tassaux D**, **van Gessel E**, Jolliet P.

Non-invasive ventilation in the recovery room for postoperative respiratory failure: a feasibility study.
Swiss Med Wkly 2005;135:339-43.

Christenson JT, Vala DL, **Licker MJ**, Sierra J, Kalangos A.

Intra-aortic filtration: capturing particulate emboli during aortic cross-clamping.
Tex Heart Inst J 2005;32:515-21.

Despont-Gros C, **Landau R**, Rutschmann O, Simon J, Lovis C.

The digital pen and paper. Evaluation and acceptance of a new data acquisition device in clinical settings.
Methods Inf Med 2005;44:359-68.

d'Hollander AA, **Pytel AV**, **Merzouga BM**, **Klopfenstein CE**.

The quantitative distinction between train-of-four "counts of 2" and posttetanic "counts of 2" evidenced by a stable paralysis/stable infusion rate method in anesthetized patients receiving mivacurium.
Anesth Analg 2005;100:1348-51, table of contents.

Elia N, Tramèr MR.

Ketamine and postoperative pain -a quantitative systematic review of randomised trials.
Pain 2005;113:61-70.

Elia N, Lysakowski C, Tramèr MR.

Does multimodal analgesia with acetaminophen, nonsteroidal antiinflammatory drugs, or selective cyclooxygenase-2 inhibitors and patient-controlled analgesia morphine offer advantages over morphine alone? Meta-analyses of randomized trials.
Anesthesiology 2005;103:1296-304.

Ferretti G, **Licker MJ**, Anchisi S, Moia C, Susta D, **Morel DR.**

The effects of beta1-adrenergic blockade on cardiovascular oxygen flow in normoxic and hypoxic humans at exercise.
Eur J Appl Physiol 2005;95:250-9.

Fournier R, Weber A, Gamulin Z.

Intrathecal sufentanil is more potent than intravenous for postoperative analgesia after total-hip replacement.
Reg Anesth Pain Med 2005;30:249-54.

Fournier R, Weber A, Gamulin Z.

Posterior labat vs. lateral popliteal sciatic block: posterior sciatic block has quicker onset and shorter duration of anaesthesia.
Acta Anaesthesiol Scand 2005;49:683-6.

Gascon E, **Vutskits L**, Zhang H, Barral-Moran MJ, Kiss PJ, Mas C, Kiss JZ.

Sequential activation of p75 and TrkB is involved in dendritic development of subventricular zone-derived neuronal progenitors in vitro.
Eur J Neurosci 2005;21:69-80.

Habre W, Scalfaro P, Schutz N, Stucki P, **Petak F.**

Measuring end-expiratory lung volume and pulmonary mechanics to detect early lung function impairment in rabbits.
Respir Physiol Neurobiol 2005. Aug, 23 [Epub ahead of print]

Iselin-Chaves IA, Willems SJ, Jermann FC, **Forster A**, Adam SR, Van der Linden M.

Investigation of implicit memory during isoflurane anesthesia for elective surgery using the process dissociation procedure.
Anesthesiology 2005;103:925-33.

Katz E, Metzger JT, Schlaepfer J, Fromer M, Fishman D, Mayer L, **Niquille M**, Kappenberger L.

Increase of out-of-hospital cardiac arrests in the male population of the French speaking provinces of Switzerland during the 1998 FIFA World Cup.

Heart 2005 Aug;91(8):1096-7

Landau R, Morales MA, Antonarakis SE, Blouin JL, Smiley RM.

Arg16 homozygosity of the beta2-adrenergic receptor improves the outcome after beta2-agonist tocolysis for preterm labor.

Clin Pharmacol Ther 2005;78:656-63.

Licker M, Ellenberger C, Sierra J, Christenson J, **Diaper J, Morel D**.

Cardiovascular response to acute normovolemic hemodilution in patients with coronary artery diseases: Assessment with transesophageal echocardiography.

Crit Care Med 2005;33:591-7.

Licker M, Ellenberger C, Sierra J, Kalangos A, **Diaper J, Morel D**.

Cardioprotective effects of acute normovolemic hemodilution in patients undergoing coronary artery bypass surgery.

Chest 2005;128:838-47.

Licker M, Mariethoz E, Costa MJ, **Morel D**.

Cardioprotective effects of acute isovolemic hemodilution in a rat model of transient coronary occlusion.

Crit Care Med 2005;33:2302-8.

Macrea LM, Tramèr MR, Walder B.

Spontaneous subarachnoid hemorrhage and serious cardiopulmonary dysfunction--a systematic review.

Resuscitation 2005;65:139-48.

Schiffer E, Housset C, Cacheux W, Wendum D, Desbois-Mouthon C, Rey C, **Clergue F**, Poupon R, Barbu V, Rosmorduc O.

Gefitinib, an EGFR inhibitor, prevents hepatocellular carcinoma development in the rat liver with cirrhosis.

Hepatology 2005;41:307-14.

Schreiber JU, **Lysakowski C**, Fuchs-Buder T, **Tramèr MR**.

Prevention of succinylcholine-induced fasciculation and myalgia: a meta-analysis of randomized trials.

Anesthesiology 2005;103:877-84.

Szegedi LL, Van der Linden P, Ducart A, Cosaert P, Poelaert J, Vermassen F, Mortier E. P, **d'Hollander AA.**
The effects of acute isovolemic hemodilution on oxygenation during one-lung ventilation.
Anesth Analg 2005;100:15-20.

Tassaux D, Gainnier M, Battisti A, Jolliet P.
Helium-oxygen decreases inspiratory effort and work of breathing during pressure support in intubated patients with chronic obstructive pulmonary disease.
Intensive Care Med 2005;31:1501-7.

Vutskits L, Gascon E, **Tassonyi E,** Kiss JZ.
Clinically relevant concentrations of propofol but not midazolam alter in vitro dendritic development of isolated gamma-aminobutyric acid-positive interneurons.
Anesthesiology 2005;102:970-6.

Walder B, Fontao E, Totsch M, **Morel DR.**
Time and tidal volume-dependent ventilator-induced lung injury in healthy rats.
Eur J Anaesthesiol 2005;22:785-94.

Weber A, Fournier R, Riand N, Gamulin Z.
Duration of analgesia is similar when 15, 20, 25 and 30 mL of ropivacaine 0.5% are administered via a femoral catheter.
Can J Anaesth 2005;52:390-6.

Revue, éditoriaux, guidelines (recommandations), chapitres de livres

Clergue F.
The gallant adventures of Daphne and Apollo: the anesthetist in the surgical unit.
Ann Fr Anesth Reanim 2005;24:702-4.

Clergue F, Bazin G.
Management of a medical disaster or cosmetic actions.
Ann Fr Anesth Reanim 2005;24:3-5.

Diby M, Merlani P, **Garnerin P**, Ricou B.
Harmonization of practice among different groups of caregivers: a guideline on arterial blood gas utilization.
J Nurs Care Qual 2005;20:327.

Lonnqvist PA, **Habre W**.
Midazolam as premedication: is the emperor naked or just half-dressed?
Paediatr Anaesth 2005;15:263-5.

Landau R.
Pharmacogenetics: implications for obstetric anesthesia.
Int J Obstet Anesth 2005;14:316-23.

Thieblemont J, Garnerin P, Clergue F.
Perception and communication of medical risk which implications for preoperative anaesthetic consultations?
Ann Fr Anesth Reanim 2005;25:50-62.

Tramèr MR.
The pharmacology of PONV control: prevention or treatment ?
Anesthesiol Intensivmed Notfallmed Schmerzther 2005;40:493-7.

Tramèr MR, Walder B.
Number needed to treat (or harm).
World J Surg 2005;29:576-81.

Lettres

Bagamery K, Landau R, Kvell K, Graham J.
Different platelet activation levels in non-pregnant, normotensive pregnant, pregnancy-induced hypertensive and pre-eclamptic women. A pilot study of flow cytometric analysis. *Eur J Obstet Gynecol Reprod Biol* 2005;121:117-8.

Cahana A.
Pulsed radiofrequency: a neurobiologic and clinical reality.
Anesthesiology 2005;103:1311; author reply 3-4

Schaub E, Kern C, Landau R.

Comparison of Propofol with Lidocaine Pretreatment Versus Propofol Formulated with Long- and Medium-Chain Triglycerides or
Confounding Effect of Tourniquet.

Anesth Analg 2005;101: 301-302