

## Publications service d'Anesthésie 2006 :

### Articles originaux

Battisti A, Roeseler J, **Tassaux D**, Jolliet P.

Automatic adjustment of pressure support by a computer-driven knowledge-based system during noninvasive ventilation: a feasibility study.

*Intensive Care Med* 2006;32: 1523-8.

Beaussier M, Boughaba A, **Schiffer E**, Debaene B, Lienhart A, **d'Hollander A**.

Acute desflurane or sevoflurane exposure on a previously stabilized atracurium-induced neuromuscular block.

*Eur J Anaesthesiol* 2006;23: 755-9.

Beaussier M, Weickmans H, Parc Y, Delpierre E, Camus Y, Funck-Brentano C, **Schiffer E**, Delva E, Lienhart A.

Postoperative analgesia and recovery course after major colorectal surgery in elderly patients: a randomized comparison between intrathecal morphine and intravenous PCA morphine.

*Reg Anesth Pain Med* 2006;31: 531-8.

**Ellenberger C, Schweizer A, Diaper J**, Kalangos A, Murith N, Katchatourian G, Panos A, **Licker M**.

Incidence, risk factors and prognosis of changes in serum creatinine early after aortic abdominal surgery.

*Intensive Care Med* 2006;32: 1808-16.

**Fournier R, Weber A, Gamulin Z**.

No differences between 20, 30, or 40 mL ropivacaine 0.5% in continuous lateral popliteal sciatic-nerve block.

*Reg Anesth Pain Med* 2006;31: 455-9.

**Garnerin P, Huchet-Belouard A, Diby M, Clergue F**.

Using system analysis to build a safety culture: improving the reliability of epidural analgesia.

*Acta Anaesthesiol Scand* 2006;50: 1114-9.

**Habre W**, Petak F, Ruchonnet-Metrailler I, Donati Y, Tolsa JF, Lele E, Albu G, Beghetti M, Barazzone-Argiroffo C.  
The role of endothelin-1 in hyperoxia-induced lung injury in mice.  
*Respir Res* 2006;7: 45.

**Habre W**, Scalfaro P, Schutz N, Stucki P, Petak F.  
Measuring end-expiratory lung volume and pulmonary mechanics to detect early lung function impairment in rabbits.  
*Respir Physiol Neurobiol* 2006;152: 72-82.

Jaber S, **Tassaux D**, Sebbane M, Pouzeratte Y, Battisti A, Capdevila X, Eledjam JJ, Jolliet P.  
Performance characteristics of five new anesthesia ventilators and four intensive care ventilators in pressure-support mode: a comparative bench study.  
*Anesthesiology* 2006;105: 944-52.

**Jaecklin T, Morel DR**, Rimensberger PC.  
Volume-targeted modes of modern neonatal ventilators: how stable is the delivered tidal volume?  
*Intensive Care Med* 2007;33: 326-35.

Lador F, Azabji Kenfack M, Moia C, Cautero M, **Morel DR**, Capelli C, Ferretti G.  
Simultaneous determination of the kinetics of cardiac output, systemic O<sub>2</sub> delivery, and lung O<sub>2</sub> uptake at exercise onset in men.  
*Am J Physiol Regul Integr Comp Physiol* 2006;290: R1071-9.

Lele E, Petak F, Fontao F, **Morel DR, Habre W**.  
Protective effects of volatile agents against acetylcholine-induced bronchoconstriction in isolated perfused rat lungs.  
*Acta Anaesthesiol Scand* 2006;50: 1145-51.

**Licker MJ**, Widikker I, Robert J, Frey JG, Spiliopoulos A, **Ellenberger C, Schweizer A**, Tschopp JM.  
Operative mortality and respiratory complications after lung resection for cancer: impact of chronic obstructive pulmonary disease and time trends.  
*Ann Thorac Surg* 2006;81: 1830-7.

Lorraway PG, **Savoldelli GL**, Joo HS, Chandra DB, Chow R, Naik VN.  
Management of simulated oxygen supply failure: is there a gap in the curriculum?  
*Anesth Analg* 2006;102: 865-7.

**Lysakowski C, Dumont L, Czarnetzki C, Bertrand D, Tassonyi E, Tramèr MR.**

The effect of cigarette smoking on the hypnotic efficacy of propofol.

*Anaesthesia* 2006;61: 826-31.

Merlani PG, Chenaud C, Cottini S, Reber G, **Garnerin G**, de Moerloose P, Ricou B.

Point of care management of heparin administration after heart surgery: A randomized, controlled trial.

*Intensive Care Med* 32: 1357-64.

Montet-Abou K, Daire JL, Ivancevic MK, Hyacinthe JN, Nguyen D, Jorge-Costa M, **Morel DR**, Vallee JP.

Optimization of cardiac cine in the rat on a clinical 1.5-T MR system.

*Magma* 2006;19: 144-51.

**Morel DR**, Frossard JL, Cikirikcioglu B, Tapponnier M, Pastor CM.

Time course of lung injury in rat acute pancreatitis.

*Intensive Care Med* 2006;32: 1872-80.

Pandin P, Salengros JC, **d'Hollander A**, Tchekap C, Vandesteene A.

Somatosensory evoked potentials as an objective assessment of the sensory median nerve blockade after infraclavicular block.

*Can J Anaesth* 2006;53: 67-72.

Pandin P, Van Cutsem N, Tuna T, **D'Hollander A**.

Bispectral index is a topographically dependent variable in patients receiving propofol anaesthesia.

*Br J Anaesth* 2006;97: 676-80.

Pasquina P, **Tramèr MR**, Granier JM, **Walder B**.

Respiratory physiotherapy to prevent pulmonary complications after abdominal surgery: a systematic review.

*Chest* 2006;130: 1887-99.

Petak F, **Habre W**, Babik B, Tolnai J, Hantos Z.

Crackle-sound recording to monitor airway closure and recruitment in ventilated pigs.

*Eur Respir J* 2006;27: 808-16.

Petak F, Hantos Z, Adamicza A, Gality H, **Habre W**.

Development of bronchoconstriction after administration of muscle relaxants in rabbits with normal or hyperreactive airways.

*Anesth Analg* 2006;103: 103-9, table of contents.

**Savoldelli GL**, Naik VN, Joo HS, Houston PL, Graham M, Yee B, Hamstra SJ.  
Evaluation of patient simulator performance as an adjunct to the oral examination for senior anesthesia residents.  
*Anesthesiology* 2006;104: 475-81.

**Savoldelli GL**, Naik VN, Park J, Joo HS, Chow R, Hamstra SJ.  
Value of debriefing during simulated crisis management: oral versus video-assisted oral feedback.  
*Anesthesiology* 2006;105: 279-85.

**Schiffer E**, Majno P, Mentha G, Giostra E, Burri H, **Klopfenstein CE**, Beaussier M, Morel P, Hadengue A, Pastor CM.  
Hepatopulmonary syndrome increases the postoperative mortality rate following liver transplantation: a prospective study in 90 patients.  
*Am J Transplant* 2006;6: 1430-7.

Smiley RM, Blouin JL, Negron M, **Landau R**.  
beta2-adrenoceptor genotype affects vasopressor requirements during spinal anesthesia for cesarean delivery.  
*Anesthesiology* 2006;104: 644-50.

Stephan F, Sax H, Wachsmuth M, Hoffmeyer P, **Clergue F**, Pittet D.  
Reduction of urinary tract infection and antibiotic use after surgery: a controlled, prospective, before-after intervention study.  
*Clin Infect Dis* 2006;42: 1544-51.

**Tramèr MR**, Von Elm E, Loubeyre P, Hauser C.  
Pharmacological prevention of serious anaphylactic reactions due to iodinated contrast media: systematic review.  
*BMJ* 2006;333: 675.

Von Ungern-Sternberg BS, Sly PD, Loh RK, Isidoro A, **Habre W**.  
Value of eosinophil cationic protein and tryptase levels in bronchoalveolar lavage fluid for predicting lung function impairment in anaesthetised, asthmatic children.  
*Anaesthesia* 2006;61: 1149-54.

Vutskits GV, Salmon P, Mayor L, **Vutskits L**, Cudre-Mauroux C, Soriano J, Montesano R, Maillet P, Sappino AP.  
A role for atm in E-cadherin-mediated contact inhibition in epithelial cells.  
*Breast Cancer Res Treat* 2006;99: 143-53.

**Vutskits L**, Gascon E, **Tassonyi E**, Kiss JZ.  
Effect of ketamine on dendritic arbor development and survival of immature GABAergic neurons in vitro.  
*Toxicol Sci* 2006;91: 540-9.

**Vutskits L**, Gascon E, Zraggen E, Kiss JZ.  
The polysialylated neural cell adhesion molecule promotes neurogenesis in vitro.  
*Neurochem Res* 2006;31: 215-25.

### Case reports

**Ellenberger C**, Mentha G, Giostra E, **Licker MJ**.  
Cardiovascular collapse due to massive pulmonary thromboembolism during orthotopic liver transplantation.  
*J Clin Anesth* 2006;18: 367-71.

**Faust A, Fournier R, Hagon O**, Hoffmeyer P, **Gamulin Z**.  
Partial sensory and motor deficit of ipsilateral lower limb after continuous interscalene brachial plexus block.  
*Anesth Analg* 2006;102: 288-90.

Lopez U, Forster A, Annoni JM, **Habre W, Iselin-Chaves I**.  
Near-death experience in a boy undergoing uneventful elective surgery under general anesthesia.  
*Paediatr Anaesth* 2006;16: 85-8.

**Vutskits L**, Menache C, Manzano S, Haenggeli CA, **Habre W**.  
Anesthesia management in a young child with aromatic l-amino acid decarboxylase deficiency.  
*Paediatr Anaesth* 2006;16: 82-4.

### Revue, éditoriaux, guidelines (recommandations), chapitres de livres

**Habre W**.  
Preoperative assessment of the child with congenital heart disease.  
*Arch Pediatr* 2006;13: 754-7.

Houston P, Kearney RA, **Savoldelli G**.  
The oral examination process - gold standard or fool's gold.  
*Can J Anaesth* 2006;53: 639-42.

Jolliet P, **Tassaux D**.  
Clinical review: patient-ventilator interaction in chronic obstructive pulmonary disease.  
*Crit Care* 2006;10: 236.

**Landau R.**

Women need to be told ALL the risks before regional techniques are performed.  
*Int J Obstet Anesth* 2006;15: 301-3.

**Landau R.**

One size does not fit all: genetic variability of mu-opioid receptor and postoperative morphine consumption.  
*Anesthesiology* 2006;105: 235-7.

**Landau R** and Chassard D.

Initial training in obstetric anaesthesia.  
*Ann Fr Anesth Reanim* 2006;25: 589-92.

**Thieblemont J, Garnerin P, Clergue F.**

Perception and communication of medical risk which implications for preoperative anaesthetic consultations ?  
*Ann Fr Anesth Reanim* 2006;25: 50-62.

**Vutskits L, Gascon E, Klauser P, Tassonyi E, Kiss JZ.**

Do anesthetics impair brain development ?  
*Arch Pediatr* 2006;13: 777-9.

**Cahana A, Van Zundert J, Macrea L, Van Kleef M, Sluijter M.**

Pulsed radiofrequency: current clinical and biological literature available.  
*Pain Med* 2006;7: 411-23.

**Lettres**

**Faust A, Fournier F, Gamulin Z.**

Perioperative analgesia with posterior continuous lumbar plexus block for simultaneous ipsilateral total hip and knee arthroplasty.  
*Reg Anesth Pain Med* 2006;31: 591.

**Iselin-Chaves I, Willems S.**

In reply: Investigation of implicit memory during isoflurane anesthesia for elective surgery using the process dissociation procedure.  
*Anesthesiology* 2006;105: 430.

**Licker MJ, Morel DR.**

Rat or human-based blood therapy in acute myocardial infarction ?  
*Crit Care Med* 2006;34: 2026.

Zbinden S, **Tramèr MR.**

Long QT syndrome.  
*Anaesthetist* 2006;55: 1006-7; author reply 1007-8.

Beaussier M, Boughaba A, **Schiffer E**, Debaene B, Lienhart A, **d'Hollander A.**

Acute desflurane or sevoflurane exposure on a previously stabilized atracurium-induced neuromuscular block.  
*Eur J Anaesthesiol* 2006;23: 755-9.