

Publications service d'Anesthésiologie 2008

Articles originaux

Albu, G., Petak, F., Fontao, F., Biton, C., Pache, J. C. and **Habre, W.**
Mechanisms of airway hyper-responsiveness after coronary ischemia.
Respir Physiol Neurobiol 2008;162(3): 176-83.

Beaussier, M., **Schiffer, E.** and Housset, C.
[Ischaemic cholestasis in intensive care unit].
Ann Fr Anesth Reanim 2008;27(9): 709-18.

Benkhadra, M., **Savoldelli, G., Fournier, R., Gamulin, Z.**, Francois, C., Trouilloud, P., Feigl, G. and Fasel, J. H.
A new anatomical technique to investigate nerves by imagery.
Surg Radiol Anat 2009;31(3): 221-4.

Chandra, D. B., **Savoldelli, G. L.**, Joo, H. S., Weiss, I. D. and Naik, V. N.
Fiberoptic oral intubation: the effect of model fidelity on training for transfer to patient care.
Anesthesiology 2008;109(6): 1007-13.

Czarnetzki, C., Elia, N., Lysakowski, C., Dumont, L., Landis, B. N., Giger, R., Dulguerov, P., Desmeules, J. and **Tramer, M. R.**
Dexamethasone and risk of nausea and vomiting and postoperative bleeding after tonsillectomy in children: a randomized trial.
JAMA 2008;300(22): 2621-30.

Daire, J. L., Hyacinthe, J. N., Tatar, I., Montet-Abou, K., Ivancevic, M. K., Masterson, K., Jorge-Costa, M., **Morel, D. R.** and Vallee, J. P.
In vivo myocardial infarct area at risk assessment in the rat using manganese enhanced magnetic resonance imaging (MEMRI) at 1.5T.
Magn Reson Med 2008;59(6): 1422-30.

Daire, J. L., Jacob, J. P., Hyacinthe, J. N., Croisille, P., Montet-Abou, K., Richter, S., Botsikas, D., Lepetit-Coiffe, M., **Morel, D.** and Vallee, J. P.

Cine and tagged cardiovascular magnetic resonance imaging in normal rat at 1.5 T: a rest and stress study.

J Cardiovasc Magn Reson 2008;10(1): 48.

Dayer, A. G., Jenny, B., Potter, G., Sauvain, M. O., Szabo, G., **Vutskits, L.**, Gascon, E. and Kiss, J. Z.

Recruiting new neurons from the subventricular zone to the rat postnatal cortex: an organotypic slice culture model.

Eur J Neurosci 2008;27(5): 1051-60.

Diaper, J., Ellenberger, C., Villiger, Y., Robert, J., Tschopp, J. M. and **Licker, M.**

Transoesophageal Doppler monitoring for fluid and hemodynamic treatment during lung surgery.

J Clin Monit Comput 2008;22(5): 367-74.

Diby, M., Romand, J. A., Frick, S., Heidegger, C. P. and **Walder, B.**

Reducing pain in patients undergoing cardiac surgery after implementation of a quality improvement postoperative pain treatment program.

J Crit Care 2008;23(3): 359-71.

Elia, N., Culebras, X., Mazza, C., Schiffer, E. and Tramer, M. R.

Clonidine as an adjuvant to intrathecal local anesthetics for surgery: systematic review of randomized trials.

Reg Anesth Pain Med 2008;33(2): 159-67.

Evans, M. S., Lysakowski, C. and Tramer, M. R.

Nefopam for the prevention of postoperative pain: quantitative systematic review.

Br J Anaesth 2008;101(5): 610-7.

Garnerin, P., Ares, M., Huchet, A. and Clergue, F.

Verifying patient identity and site of surgery: improving compliance with protocol by audit and feedback.

Qual Saf Health Care 2008;17(6): 454-8.

Habre, W., Adamicza, A., **Lele, E.**, Novak, T., Sly, P. D. and Petak, F.

The involvement of histaminic and muscarinic receptors in the bronchoconstriction induced by myorelaxant administration in sensitized rabbits.

Anesth Analg 2008;107(6): 1899-906.

Haller, G., Garnerin, P., Morales, M. A., Pfister, R., Berner, M., Irion, O., **Clergue, F. and Kern, C.**

Effect of crew resource management training in a multidisciplinary obstetrical setting.

Int J Qual Health Care 2008;20(4): 254-63.

Haller, G., Morales, M., Pfister, R., **Garnerin, P.**, Chipp, P., Guillemot, V., Millart, V., Berner, M., Irion, O., **Clergue, F. o. and Kern, C.**
Improving interprofessional teamwork in obstetrics: A Crew Resource Management based training programme.
Journal of Interprofessional Care 2008; 545 - 548.

Haller, G., Myles, P. S., Langley, M., Stoelwinder, J. and McNeil, J.
Assessment of an unplanned admission to the intensive care unit as a global safety indicator in surgical patients.
Anaesth Intensive Care 2008;36(2): 190-200.

Harbarth, S., Huttner, B., Gervaz, P., Fankhauser, C., Chraiti, M. N., Schrenzel, J., **Licker, M.** and Pittet, D.
Risk factors for methicillin-resistant *Staphylococcus aureus* surgical site infection.
Infect Control Hosp Epidemiol 2008;29(9): 890-3.

Janosi, T., Petak, F., Fontao, F., **Morel, D. R.**, Beghetti, M. and **Habre, W.**
Differential roles of endothelin-1 ETA and ETB receptors and vasoactive intestinal polypeptide in regulation of the airways and the pulmonary vasculature in isolated rat lung.
Exp Physiol 2008;93(11): 1210-9.

Klopfenstein, C. E., Schiffer, E., Pastor, C. M., Beaussier, M., Francis, K., Soravia, C. and Herrmann, F. R.
Laparoscopic colon surgery: unreliability of end-tidal CO₂ monitoring.
Acta Anaesthesiol Scand 2008;52(5): 700-7.

Lador, F., Tam, E., Azabji Kenfack, M., Cautero, M., Moia, C., **Morel, D. R.**, Capelli, C. and Ferretti, G.
Phase I dynamics of cardiac output, systemic O₂ delivery, and lung O₂ uptake at exercise onset in men in acute normobaric hypoxia.
Am J Physiol Regul Integr Comp Physiol 2008;295(2): R624-32.

Landau, R., Kern, C., Columb, M. O., Smiley, R. M. and Blouin, J. L.
Genetic variability of the mu-opioid receptor influences intrathecal fentanyl analgesia requirements in laboring women.
Pain 2008;139(1): 5-14.

Landis, B. N., Grouzmann, E., Monod, M., Busso, N., Petak, F., Spiliopoulos, A., Robert, J. H., Szalay-Quinodoz, I., **Morel, D. R.** and Lacroix, J. S.
Implication of dipeptidylpeptidase IV activity in human bronchial inflammation and in bronchoconstriction evaluated in anesthetized rabbits.
Respiration 2008;75(1): 89-97.

Licker, M., Diaper, J. and Ellenberger, C.

Perioperative protective ventilatory strategies in patients without acute lung injuries.
Anesthesiology 2008;108(2): 335-6; author reply 336-7.

Licker, M., Diaper, J., Robert, J. and Ellenberger, C.

Effects of methylene blue on propofol requirement during anaesthesia induction and surgery.
Anaesthesia 2008;63(4): 352-7.

Licker, M., Tschopp, J. M., Robert, J., Frey, J. G., Diaper, J. and Ellenberger, C.

Aerosolized salbutamol accelerates the resolution of pulmonary edema after lung resection.
Chest 2008;133(4): 845-52.

Lopez, U., **Habre, W.**, Van der Linden, M. and **Iselin-Chaves, I. A.**

Intra-operative awareness in children and post-traumatic stress disorder.
Anaesthesia 2008;63(5): 474-81.

Popping, D. M., **Elia, N., Marret, E.**, Remy, C. and **Tramer, M. R.**

Protective effects of epidural analgesia on pulmonary complications after abdominal and thoracic surgery: a meta-analysis.
Arch Surg 2008;143(10): 990-9; discussion 1000.

Saudan, S., Habre, W., Ceroni, D., Meyer, P. A., Greenberg, R. S., Kaelin, A. and von Ungern-Sternberg, B. S.

Safety and efficacy of patient controlled epidural analgesia following pediatric spinal surgery.
Paediatr Anaesth 2008;18(2): 132-9.

Savoldelli, G. L., Schiffer, E., Abegg, C., Baeriswyl, V., Clergue, F. and Waeber, J. L.

Comparison of the Glidescope, the McGrath, the Airtraq and the Macintosh laryngoscopes in simulated difficult airways*.
Anaesthesia 2008;63(12): 1358-64.

Savoldelli, G. L., Ventura, F., Waeber, J. L. and Schiffer, E.

Use of the Airtraq as the primary technique to manage anticipated difficult airway: a report of three cases.
J Clin Anesth 2008;20(6): 474-7.

Sia, A. T., Lim, Y., Lim, E. C., Goh, R. W., Law, H. Y., **Landau, R.**, Teo, Y. Y. and Tan, E. C.

A118G single nucleotide polymorphism of human mu-opioid receptor gene influences pain perception and patient-controlled intravenous morphine consumption after intrathecal morphine for postcesarean analgesia.
Anesthesiology 2008;109(3): 520-6.

Tissieres, P., da Cruz, E., **Habre, W.**, Aggoun, Y., Mensi, N., Kalangos, A. and Beghetti, M.
Value of brain natriuretic peptide in the perioperative follow-up of children with valvular disease.
Intensive Care Med 2008;34(6): 1109-13.

von Elm, E., Osterwalder, J. J., Graber, C., Schoettker, P., Stocker, R., Zangger, P., Vuadens, P., Egger, M. and **Walder, B.**
Severe traumatic brain injury in Switzerland - feasibility and first results of a cohort study.
Swiss Med Wkly 2008;138(23-24): 327-34.

von Ungern-Sternberg, B. S., **Saudan, S.**, Petak, F., Hantos, Z. and **Habre, W.**
Desflurane but not sevoflurane impairs airway and respiratory tissue mechanics in children with susceptible airways.
Anesthesiology 2008;108(2): 216-24.

Vutskits, L., Lysakowski, C., Czarnetzki, C., Jenny, B., Copin, J. C. and **Tramer, M. R.**
Plasma concentrations of brain-derived neurotrophic factor in patients undergoing minor surgery: a randomized controlled trial.
Neurochem Res 2008;33(7): 1325-31.

Lettres

da Cruz, E. M., Beghetti, M., Kalangos, A., Berner, M., Sierra, J., Aggoun, Y., Tissot, C., **Pellegrini, M., Saudan, S., Habre, W.** and Rimensberger, P. C.
Mechanical support availability in pediatric cardiac surgery: program size should not matter.
Int J Cardiol 2008;129(2): 282-4.

Licker, M., Diaper, J. and Ellenberger, C.
Perioperative protective ventilatory strategies in patients without acute lung injuries.
Anesthesiology 2008;108(2): 335-6; author reply 336-7.

Savoldelli, G. L. and Schiffer, E.
Videolaryngoscopy for tracheal intubation: the guide channel or steering techniques for endotracheal tube placement?
Can J Anaesth 2008;55(1): 59-60.

Vutskits, L., Briner, A., Klauser, P., Gascon, E., Dayer, A. G., Kiss, J. Z., Muller, D., **Licker, M. J. and Morel, D. R.**
Adverse effects of methylene blue on the central nervous system.
Anesthesiology 2008;108(4): 684-92.

Revue, éditoriaux, guidelines (recommandations), chapitres de livres

Bayat, S., Porra, L., Suhonen, H., Janosi, T., Strengell, S., **Habre, W.**, Petak, F., Hantos, Z., Suortti, P. and Sovijarvi, A.
Imaging of lung function using synchrotron radiation computed tomography: what's new?
Eur J Radiol 2008;68(3 Suppl): S78-83.

Beaussier, M., **Schiffer, E.** and Housset, C.
[Ischaemic cholestasis in intensive care unit].
Ann Fr Anesth Reanim 2008;27(9): 709-18.

Clergue, F.
What next targets for anaesthesia safety?
Curr Opin Anaesthesiol 2008;21(3): 360-2.

Finckh, A. and **Tramer, M. R.**
Primer: strengths and weaknesses of meta-analysis.
Nat Clin Pract Rheumatol 2008;4(3): 146-52.

Gascon, E., **Vutskits, L.** and Kiss, J. Z.
The Role of PSA-NCAM in Adult Neurogenesis.
Neurochem Res 2008.

Gremion, C., Niquille, M. and Walder, B.
Traitement initial de l'état de mal épileptique: time is brain!
Urgence Pratique 2008;(88).

Landau, R.
Pharmacogenetics and obstetric anesthesia.
Anesthesiol Clin 2008;26(1): 183-95, viii-ix.

Shiffer, E. and Sommer, J.
Comment préparer mon patient à une opération?
Revue Médicale Suisse 2008;4: S60-S62.

Wolff, A., Iselin, I. and Forster, A.
Hypnotherapy and chronic pain: Personalised complementary treatment.
Douleur et Analgesie 2008;21(1): 10-14.

Zingg, W., **Cartier-Fassler, V. and Walder, B.**
Central venous catheter-associated infections.
Best Pract Res Clin Anaesthesiol 2008;22(3): 407-21.

Case reports

Bonvini, R. F., Robert-Ebadi, H., Fontana, P., Fassa, A., Myers, P., **Licker, M.**, Boehlen, F. and Righini, M.
Impending paradoxical embolism. When and how to treat?
Ann Cardiol Angiol (Paris) 2008;57(4): 234-7.

Cekic, G., De Kock, M., Kremer, Y. and Scholtes, J. L.
Paraplegia after combined general and epidural anesthesia: a case report.
Acta Anaesthesiol Belg 2008;59(2): 95-8.

Myers, P. O., Fassa, A. A., Panos, A., **Licker, M.**, Bounameaux, H., Zender, H. O. and Kalangos, A.
Life-threatening pulmonary embolism associated with a thrombus straddling a patent foramen ovale: report of a case.
J Card Surg 2008;23(4): 376-8.